

# WE BEAT THE DUST



SprayCannon



**WE TAKE  
DUST  
CONTROL  
SERIOUSLY**



[www.bossattachments.co.nz](http://www.bossattachments.co.nz)

  
**BOSS**  
ATTACHMENTS





# THE RIGHT SOLUTION FOR EVERY DUST PROBLEM!

**Fine dust emissions are hazardous.**

**MB Dustcontrol are a world-wide leader in the manufacture of dust and odour control systems.**

Our proven MB Dustcontrol systems weigh down the emitted dust particles by binding them with droplets of water (fog) so they quickly fall to the ground through gravity.

Because we believe that every dust and odour problem is unique, we work closely with our customers to find the right solution.

BOSS ATTACHMENTS stock the full range of MB Dustcontrol (mobile) SprayCannons. With or without trailer, water tank, or generator and from small to big. UV unit, remote control or frequency control are but a few of the available options.

MB Dustcontrol also provide indoor dust management solutions that can be mounted on a wall or ceiling, as well as solutions that can be used in open spaces. Our SprayCannons spray a wall of fog from 5 meters to 100 meters far and up to 35 meters high.

For challenging worksites where municipal utilities are limited, we offer full self supporting systems. These installations consist of a water tank/bowser, generator and SprayCannon all mounted on skid or trailer. So no more external water supply and electrical supply are required. These machines are also very suitable for odour control as well as adding other fluids to the water.

Of course various options are available such as Remote Control, Electrical tilting system, UV unit etc.

A good example are the SprayCannons equipped with power unit (generator) and water supply, making each cannon a self-supporting installation.



MODEL	SC5	SC10	SC15	SC25	SC35
THROW	5-10m	10m	20m	25m	35m
WATER USE	0-5 l/h	0-100 l/h	0-500 l/h	0-1000 l/h	0-1000 l/h
ELECTRICITY	230V	230V	230V	230V	230/400V
LENGTH	30cm	55cm	95cm	130cm	130cm
WIDTH	20cm	44cm	80cm	90cm	90cm
HEIGHT	40cm	73cm	110cm	130cm	130cm
WEIGHT	2kg	18kg	100kg	230kg	240kg
ROTATION	None	None	None	0-180°	0-180°
VERT. ANGLE	0 to 60°		-10 to 60°	-10 to 60°	-10 to 60°
FREQ. VALVE		Yes			





## SC35M

## SC45

## SC60

## SC75

## SC90

## SC100

35m	45m	60m	75m	90m	100m
0-1000 l/h	3500 l/h	4000 l/h	4500 l/h	5000 l/h	5500 l/h
110/400V	400V	400V	400V	400V	400V
130cm	185cm	185cm	185cm	185cm	185cm
90cm	140cm	140cm	140cm	140cm	140cm
Max. 6m	220cm	220cm	220cm	230cm	230cm
350kg	615kg	625kg	650kg	700kg	750kg
0-180°	0-320°	0-320°	0-320°	0-320°	0-320°
-15 to 60°	-15 to 60°	-15 to 60°	-15 to 60°	-15 to 60°	-15 to 60°






SPRAY WALL		MODEL	SC15SS	SC25/ 35SS	SC45SS	SC60SS
MODEL		MODEL				
THROW	10m	THROW	15m	25/35m	45m	60m
SPRAY HEIGHT	6m	WATER USE	1-350 l/h	1-1000 l/h	1-3500 l/h	1-4500 l/h
LENGTH HOSE	20m	GENERATOR	4kVA (P)	7kVA (G)	20kVA (G)	30kVA (G)
HOSE DIAM.	3"	TRAILER	2 axled	Option	Option	Option
CONNECTION	STORZ 81	WATERTANK	1150L	2m <sup>3</sup> - 5m <sup>3</sup>	2000L	7m <sup>3</sup> - 20m <sup>3</sup>
NOZZLES	20pc	OSCILLATION	0-359°	0-180° (E)	0-320° (E)	0-320° (E)
WEIGHT	8kg	VERT. ANGLE	-15 to 60°	-15 to 60°	-15 to 60°	-15 to 60°
POS. BLOCKS	4pc	PRESSURE	40 bar	40 bar	25 bar	25 bar
MAX. PRESS.	9 bar	FAN SPEED	Adjustable			
		SKID		Steel		
		REMOTE			Option	Option

## SPRAYING DISTANCE & SPRAYING HEIGHT

MAXIMUM VERTICAL ANGLE / ELEVATION



Exclusive dealer for Australasia & South Pacific Region  
SALES, SERVICE AND HIRE NEW ZEALAND WIDE

**FREEPHONE 0800 278 742**

paul@bossattachments.co.nz [www.bossattachments.co.nz](http://www.bossattachments.co.nz)

